











Inspection

Easy


Speed

- Reduced number of wiring during inspection jig and circuit test
- Easy to apply wire harness design changes
- Increased efficiency of inspection wiring, installation, and management



MH MH system










Technical Data

ITEM	MH SYSTEM						
	MH64G	MH128G	MH192G	MH256G			
POWER	A.C 100~240V 50/60Hz						
OPERATING SYSTEM	Microsoft Windows 10, 64bit(Recommended: 10.0.14393)						
COMMUNICATION PORT	USB						
CHANNEL SUPPORT	64 JIG	128 JIG	192 JIG	256 JIG			
INPUT VOLTAGE	D.C 12V 10A						
OPERATING VOLTAGE	D.C 5V						
TEST UNIT	CIRCUIT, DIODE(Rectifier Diode, Silicon Diode, Schottky Diode)						

ITEM	MH SYSTEM - MHIO								
	MHI0008	MHI0016	MHI0032	MHI0064	MHI0128	MHI0192	MHI0256		
POWER	D.C 5V via HARNICS Common Serial Port								
COMMUNICATION PORT	HARNICS Common Serial Port / Funtional Port(2LED, 2Switch or 2GPIO for External Device)								
IO SUPPORT	8	16	32	64	128	192	256		
TYPE	Fixed Block Type JIG Matched Using by Special Bracket								

Options







• Barcode Scanner







• MHGO/GL



- - Label Printer

• Leak Tester

• Pneumatic Control



Headquarters

#1313, 184, Gasan digital 2-ro, Geumcheon-gu, Seoul 08501, Republic of Korea

No. 1-2, Tianning Road, Caomiaozi Town, Lingang Economic and Technological Development Zone, Weihai, Shandong 264211, China (山东省威海临港经济技术开发区草庙子镇天宁路1-2号)



Lot CN7-3, Yen Phong II-C Industrial Park, Cho Town, Yen Phong District, Bac Ninh Province 16206, Vietnam

